

SSUCFB SERIES



製品番号	住宅番号	ベアリング ナンバー	シャフト サイズ	H	L	J	基本 荷重 定格 Cr	基本 荷重 定価 Cor	Material	Precision	ISO 9001	Rohs	Clearance
Ssucfb209 26	SSFB209	SSUC209-26	1-5/8 in	174 mm 6-27/32 in	106 mm 4-3/16 in	54 mm 2-1/8 in	34.1 kN 7666 lbf	21.3 kN 4788 lbf	Stainless	P0	YES	YES	Standard
Ssucfb208	SSFB208	SSUC208	40 mm	164 mm 6-15/32 in	100 mm 3-15/16 in	50 mm 1-31/32 in	29.1 kN 6542 lbf	17.8 kN 4002 lbf	Stainless	P0	YES	YES	Standard
Ssucfb208 25	SSFB208	SSUC208-25	1-9/16 in	164 mm 6-15/32 in	100 mm 3-15/16 in	50 mm 1-31/32 in	29.1 kN 6542 lbf	17.8 kN 4002 lbf	Stainless	P0	YES	YES	Standard
Ssucfb208 24	SSFB208	SSUC208-24	1-1/2 in	164 mm 6-15/32 in	100 mm 3-15/16 in	50 mm 1-31/32 in	29.1 kN 6542 lbf	17.8 kN 4002 lbf	Stainless	P0	YES	YES	Standard
Ssucfb207 23	SSFB207	SSUC207-23	1-7/16 in	144 mm 5-21/32 in	90 mm 3-17/32 in	46 mm 1-13/16 in	25.7 kN 5778 lbf	15.4 kN 3462 lbf	Stainless	P0	YES	YES	Standard
Ssucfb207	SSFB207	SSUC207	35 mm	144 mm 5-21/32 in	90 mm 3-17/32 in	46 mm 1-13/16 in	25.7 kN 5778 lbf	15.4 kN 3462 lbf	Stainless	P0	YES	YES	Standard
Ssucfb207 22	SSFB207	SSUC207-22	1-3/8 in	144 mm 5-21/32 in	90 mm 3-17/32 in	46 mm 1-13/16 in	25.7 kN 5778 lbf	15.4 kN 3462 lbf	Stainless	P0	YES	YES	Standard
Ssucfb207 21	SSFB207	SSUC207-21	1-5/16 in	144 mm 5-21/32 in	90 mm 3-17/32 in	46 mm 1-13/16 in	25.7 kN 5778 lbf	15.4 kN 3462 lbf	Stainless	P0	YES	YES	Standard
Ssucfb207 20	SSFB207	SSUC207-20	1-1/4 in	144 mm 5-21/32 in	90 mm 3-17/32 in	46 mm 1-13/16 in	25.7 kN 5778 lbf	15.4 kN 3462 lbf	Stainless	P0	YES	YES	Standard
Ssucfb206 20	SSFB206	SSUC206-20	1-1/4 in	130 mm 5-1/8 in	78 mm 3-1/16 in	40 mm 1-37/64 in	19.5 kN 4384 lbf	11.3 kN 2540 lbf	Stainless	P0	YES	YES	Standard
Ssucfb206 19	SSFB206	SSUC206-19	1-3/16 in	130 mm 5-1/8 in	78 mm 3-1/16 in	40 mm 1-37/64 in	19.5 kN 4384 lbf	11.3 kN 2540 lbf	Stainless	P0	YES	YES	Standard

SSUCFB SERIES

Ssucfb206	SSFB206	SSUC206	30 mm	130 mm 5-1/8 in	78 mm 3-1/16 in	40 mm 1-37/64 in	19.5 kN 4384 lbf	11.3 kN 2540 lbf	Stainless	P0	YES	YES	Standard
Ssucfb206 18	SSFB206	SSUC206-18	1-1/8 in	130 mm 5-1/8 in	78 mm 3-1/16 in	40 mm 1-37/64 in	19.5 kN 4384 lbf	11.3 kN 2540 lbf	Stainless	P0	YES	YES	Standard
Ssucfb206 17	SSFB206	SSUC206-17	1-1/16 in	130 mm 5-1/8 in	78 mm 3-1/16 in	40 mm 1-37/64 in	19.5 kN 4384 lbf	11.3 kN 2540 lbf	Stainless	P0	YES	YES	Standard
Ssucfb205 16	SSFB205	SSUC205-16	1 in	116 mm 4-9/16 in	68 mm 2-11/16 in	34 mm 1-11/32 in	14.0 kN 3147 lbf	7.85 kN 1765 lbf	Stainless	P0	YES	YES	Standard
Ssucfb205	SSFB205	SSUC205	25 mm	116 mm 4-9/16 in	68 mm 2-11/16 in	34 mm 1-11/32 in	14.0 kN 3147 lbf	7.85 kN 1765 lbf	Stainless	P0	YES	YES	Standard
Ssucfb205 15	SSFB205	SSUC205-15	15/16 in	116 mm 4-9/16 in	68 mm 2-11/16 in	34 mm 1-11/32 in	14.0 kN 3147 lbf	7.85 kN 1765 lbf	Stainless	P0	YES	YES	Standard
Ssucfb205 14	SSFB205	SSUC205-14	7/8 in	116 mm 4-9/16 in	68 mm 2-11/16 in	34 mm 1-11/32 in	14.0 kN 3147 lbf	7.85 kN 1765 lbf	Stainless	P0	YES	YES	Standard
Ssucfb205 13	SSFB205	SSUC205-13	13/16 in	116 mm 4-9/16 in	68 mm 2-11/16 in	34 mm 1-11/32 in	14.0 kN 3147 lbf	7.85 kN 1765 lbf	Stainless	P0	YES	YES	Standard
Ssucfb204	SSFB204	SSUC204	20 mm	110 mm 4-11/32 in	62 mm 2-7/16 in	32 mm 1-17/64 in	12.8 kN 2878 lbf	6.65 kN 1495 lbf	Stainless	P0	YES	YES	Standard
Ssucfb204 12	SSFB204	SSUC204-12	3/4 in	110 mm 4-11/32 in	62 mm 2-7/16 in	32 mm 1-17/64 in	12.8 kN 2878 lbf	6.65 kN 1495 lbf	Stainless	P0	YES	YES	Standard
Ssucfb203 11	SSFB203	SSUC203-11	11/16 in	110 mm 4-11/32 in	62 mm 2-7/16 in	32 mm 1-17/64 in	12.8 kN 2878 lbf	6.65 kN 1495 lbf	Stainless	P0	YES	YES	Standard
Ssucfb203	SSFB203	SSUC203	17 mm	110 mm 4-11/32 in	62 mm 2-7/16 in	32 mm 1-17/64 in	12.8 kN 2878 lbf	6.65 kN 1495 lbf	Stainless	P0	YES	YES	Standard
Ssucfb202 10	SSFB202	SSUC202-10	5/8 in	110 mm 4-11/32 in	62 mm 2-7/16 in	32 mm 1-17/64 in	12.8 kN 2878 lbf	6.65 kN 1495 lbf	Stainless	P0	YES	YES	Standard
Ssucfb202	SSFB202	SSUC202	15 mm	110 mm 4-11/32 in	62 mm 2-7/16 in	32 mm 1-17/64 in	12.8 kN 2878 lbf	6.65 kN 1495 lbf	Stainless	P0	YES	YES	Standard
Ssucfb202 9	SSFB202	SSUC202-9	9/16 in	110 mm 4-11/32 in	62 mm 2-7/16 in	32 mm 1-17/64 in	12.8 kN 2878 lbf	6.65 kN 1495 lbf	Stainless	P0	YES	YES	Standard
Ssucfb201 8	SSFB201	SSUC201-8	1/2 in	110 mm 4-11/32 in	62 mm 2-7/16 in	32 mm 1-17/64 in	12.8 kN 2878 lbf	6.65 kN 1495 lbf	Stainless	P0	YES	YES	Standard

SSUCFB SERIES

Ssucfb201	SSFB201	SSUC201	12 mm	110 mm 4-11/32 in	62 mm 2-7/16 in	32 mm 1-17/64 in	12.8 kN 2878 lbf	6.65 kN 1495 lbf	Stainless	P0	YES	YES	Standard
Ssucfb209 28	SSFB209	SSUC209-28	1-3/4 in	174 mm 6-27/32 in	106 mm 4-3/16 in	54 mm 2-1/8 in	34.1 kN 7666 lbf	21.3 kN 4788 lbf	Stainless	P0	YES	YES	Standard
Ssucfb209 27	SSFB209	SSUC209-27	1-11/16 in	174 mm 6-27/32 in	106 mm 4-3/16 in	54 mm 2-1/8 in	34.1 kN 7666 lbf	21.3 kN 4788 lbf	Stainless	P0	YES	YES	Standard